

CrystalGel

MSDS Reviewed Date: April 1, 2012

MSDS No.:7400 Page 1 of 6

MATERIAL SAFETY DATA SHEET

SEC	TIC	ON 1 - PRODUCT AND COMPANY IDENTIFICATION
Product Name	:	CrystalGel
Product Use	:	Acrylic latex
Chemical Family	:	Mixture.
Supplier's name and addres	s:	
Rosco Laboratories Inc		
52 Harbor View Avenue Stamford, CT, United States 06902		
24 Hr. Emergency Tel #	:	(800) 424-9300
HMIS Rating	:	*- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
		Health: 1 Flammability: 1 Reactivity: 0
WHMIS Classes:		
0		



SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS						
			ACGIH TLV OSHA PEL		IA PEL	
Ingredients	<u>CAS #</u>	<u>% (weight)</u>	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
Ethyl Hydroxyethyl Cellulose	9004-58-4	7.00 - 13.00	N/Av	N/Av	N/Av	N/Av
Cellulose, ethyl 2-hydroxyethyl ether	9004-58-4	1.00 - 5.00	N/Av	N/Av	N/Av	N/Av
Texanol	25265-77-4	1.00 - 5.00	N/Av	N/Av	N/Av	N/Av
Formaldehyde	50-00-0	0.00 - 0.00	N/Av	N/Av	0.75 ppm	2 ppm (see 29 CFR 1910.1048)

	SECTION 3 - HAZARDS IDENTIFICATION		
	EMERGENCY OVERVIEW		
Milky, white liquid. S	Slight sweet odor. May cause mild eye irritation. May cause mild skin irritation on prolonged contact. This product may also contain trace amounts of: formaldehyde.		
	POTENTIAL HEALTH EFFECTS		
Target organs	: None reported by the manufacturer.		
Routes of exposure	: Inhalation: YES Skin Absorption: YES Skin & Eyes: YES Ingestion: YES		
Potential acute healt	h effects :		
Eyes:	es: May cause mild eye irritation. Vapors may irritate eyes.		
Skin:	May cause mild transient irritation.		
Inhalation:	Inhalation of vapors in high concentration may cause irritation of respiratory system.		
Ingestion:	May be harmful if swallowed. May cause abdominal discomfort, nausea or diarrhea. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.		



E.

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900

CrystalGel	MSDS No.:740
MSDS Reviewed Date: April	1, 2012 Page 2 of
Potential chronic health effe	cts
	Prolonged skin contact may defat the skin and produce dermatitis. May cause sensitization by inhalation and skin contact.
Medical conditions aggrava	ed by overexposure
	: None expected, when used as intended.
Additional health hazards Potential environmental effe	: None reported by the manufacturer. cts
	: None reported by the manufacturer.
	SECTION 4 - FIRST AID MEASURES
Inhalation	: If inhaled, move to fresh air. If irritation or symptoms develop, seek medical attention.
Skin contact	: In case of contact with skin, wash with mild soap and plenty of water. If irritation occurs or persists, seek medical attention.
Eye contact	 Immediately flush eyes with plenty of water for at least 15 minutes. If irritation occurs or persists, seek medical attention.
Ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Have victim drink one to two glasses of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Centre immediately.
Notes For Physician	: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of	f flammability	
	: Not flammable under normal o water content. Will burn if drie	conditions of handling. This product will not burn, due to its d and heated with a flame.
Flammability classificatio	n (OSHA 29 CFR 1910.1200)	
	: OSHA Combustible Liquid IIIE	s.
Flash point	: Greater than 149°C	
Flash point Method	: Not available.	uto-ignition temperature : Not available.
Lower flammable limit (% by vol.) Upper flammable limit (% by vol.)		
	: Not available.	: Not available.
Suitable extinguishing me	edia	
	: Dry chemical, alcohol foam, ca Halons.	arbon dioxide, or water spray.
Explosion data: Sensitivit	ty to mechanical impact / static disch	arge
	: Not expected to be sensitive t	o mechanical impact or static discharge.
Special fire-fighting proce	-	· -
	: Firefighters should wear an a and impervious clothing.	pproved full-face, self-contained breathing apparatus (SCBA)
Hazardous combustion p	roducts	
	: Oxides of carbon, toxic fumes	, various hydrocarbons, aldehydes.
Oxidizing properties	: None reported by the manufact	cturer.
-		

	SECTION 6 - ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear chemically resistant personal protective equipment during cleanup. Spilled material may be slippery.
Environmental precautions	: Prevent product from entering drains, sewers, waterways and soil.
Spill response/cleanup	: Eliminate all ignition sources if safe to do so. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Containment	: Should not be released into the environment. Recover free liquid or cover with inert absorbent material and place into appropriate container for disposal.



CrystalGel

MSDS Reviewed Date: April 1, 2012

MSDS No.:7400

Page 3 of 6

	SECTION 7 - HANDLING AND STORAGE
Safe Handling procedures	: Do not breathe vapors or spray mist. Avoid contact with eyes, skin and clothing. Avoid breathing of dust created by cutting, sanding, or grinding. Wash hands thoroughly after handling. Wash contaminated clothing before re-use. Use only in well-ventilated areas.
Storage requirements	: Store in a cool, dry, well-ventilated area. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not freeze. Keep container tightly closed when not in use. Empty product containers may contain hazardous product residue.
Incompatible materials Special packaging materials	: Avoid contact with strong alkalis, strong mineral acids or strong oxidizing agents.
Special packaging materials	: Liquid-proof glass, plastic or non-corrodible metal containers are recommended.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering n	neasures
	: Ensure fresh air during application and drying (for example, by opening all windows and doors or using mechanical ventilation).
Respiratory protection	: Use NIOSH/MSHA approved full-face respirator with an organic vapor cartridge if the recommended exposure limit is exceeded. In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator.
Skin protection	: Wear impervious gloves, such as neoprene or nitrile rubber.
Eye / face protection	: Tightly fitting safety goggles
Other protective equipment	
	: Emergency showers and eyewash facilities should be nearby. Depending on conditions of use, safety shoes and additional protective clothing may also be necessary.
General hygiene consideratio	ons

: Wash hands thoroughly after using this product, and before eating, drinking or smoking. Wash hands before breaks and at the end of workday.

	SECTION 9 - PHYSICAL A	ND CHEMICAL PROPE	ERTIES	
Physical state	: Liquid.	Appearance	: Milky, white liquid.	
Odor	: Slight sweet odor.	Odor threshold	: Not available.	
рН	: Not available.			
Boiling point	: 100 °C	Specific gravity	: 0.93	
Melting/Freezing point	: Freezing point: -2 to 0	Coefficient of water/oil distribution		
	°C		: Not available.	
Vapor pressure (mmHg @ 20° C / 68° F)		Solubility in water	: Not available.	
	: Not available.			
Vapor density (Air = 1)	: Heavier than air.	Evaporation rate (n-Butyl	acetate = 1)	
			: Slower than n-butyl acetate	
Volatile organic Compounds (VOC's) (lbs/gal; g/l)		Volatiles (% by weight)	: Not available.	
	: < 140 g/l			
Viscosity	: Not available.			
Special Remarks On Fire H	azards			

: Not flammable under normal conditions of use. This product will not burn, due to its water content. May spatter if the temperature exceeds the boiling point. Vapors may irritate eyes. May irritate skin.

SECTION 10 - REACTIVITY AND STABILITY DATA

Stability and reactivity Hazardous polymerization : Stable under normal conditions.

: Will not occur.



MSDS No.:7400

Page 4 of 6

CrystalGel	MSDS N
MSDS Reviewed Date: Ap	pril 1, 2012 Pag
Conditions to avoid	: High temperatures. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid exposure to strong oxidizers, such as hydrogen

peroxide, nitric acid and sulfuric acid. Do not freeze. Materials To Avoid And Incompatibility

: See Section 7 (Handling and Storage) section for further details.

Hazardous decomposition products

: See hazardous combustion products.

SECTION 11 - TOXICOLOGICAL INFORMATION

	LC₅₀(4hr)	LD50	
Ingredients	<u>inh, rat</u>	oral	dermal
Ethyl Hydroxyethyl Cellulose	N/Av	N/Av	N/Av
Cellulose, ethyl 2-hydroxyethyl ether	N/Av	N/Av	N/Av
Texanol	N/Av	3200 mg/kg	15200 mg/kg
Formaldehyde	0.578 mg/L/4H	00 mg/kg	N/Av
oxicological data	: Low order of toxicity for normal	industrial handling.	
arcinogenic status	: No components are listed as ca	rcinogens by ACGIH, IARC, C	OSHA or NTP.
eproductive effects	: Not expected to have other reproductive effects.		
eratogenicity	: Not expected to be a teratogen.		
lutagenicity	: Not expected to be mutagenic in humans.		
eproductive Effects	: Not expected to have other repr	oductive effects.	
ritancy	Irritating to eyes, respiratory system and skin.		
ensitization to material	May produce an allergic reaction.		
ynergistic materials	: None reported by the manufacturer.		

SECTION 12 - ECOLOGICAL INFORMATION

Environmental effects	: Avoid release to the environment. Contains petroleum solvents.
Important environmental chara	acteristics
	: Bioaccumulation is unlikely.
Ecotoxicological	: No data is available on the product itself.
	SECTION 13 - DISPOSAL CONSIDERATIONS
	SECTION 13 - DISI OSAL CONSIDERATIONS
Handling for Disposal	: See Section 7 (Handling and Storage) section for further details.
Methods of Disposal	: Dispose in accordance with all applicable federal, state, provincial and local regulations.

: Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

Regulatory nformation	UN Number	Shipping Name	Class	Packing Group	Label
TDG	none	Not regulated.	Not regulated	none	\oslash
TDG Additional information	None.	2	:		

SECTION 14 - TRANSPORTATION INFORMATION



CrystalGel

MSDS Reviewed Date: April 1, 2012

MSDS No.:7400 Page 5 of 6

49CFR/DOT	None	Not regulated.	Not regulated	none	\bigotimes
49CFR/DOT Additional information	None.				
ICAO/IATA	None	Not regulated.	Not regulated	none	\oslash
ICAO/IATA Additional information	None.				
IMDG	None	Not regulated.	Not regulated	none	\bigotimes
IMDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: Toxic Substance Control Act: All ingredients are listed on the TSCA Inventory, or are exempted materials. SARA Section 313: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical Constituents above de minimus concentrations.

US State Right to Know Laws:

This product contains a chemical known to the State of California to cause cancer. This product contains formaldehyde.

Canadian Regulations:

Canadian Environmental Protection Act (CEPA): All ingredients are listed on the DSL, or are exempted materials. Canadian WHMIS Classification: D2B.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION			
Legend	 ACGIH: American Conference of Governmental Industrial Hygienists IARC: International Agency for Research on Cancer N/Ap: not applicable N/Av: not available NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration 		
References	 Information obtained from sources including original supplier's Material Safety Data Sheet, and references including RTECS and CCOHS Cheminfo. 		



CrystalGel

MSDS Reviewed Date: April 1, 2012

MSDS No.:7400 Page 6 of 6

Prepared for:	
Rosco Laboratories Inc.	
52 Harbor View Avenue Stamford, CT, United States 06902 Telephone: (203) 708 8900 <u>http://http://www.rosco.com/</u>	I SCO
Prepared by: ICC The Compliance Center Inc. Canada: 1-888-977-4834 USA: 1-888-442-9628 http://www.thecompliancecenter.com	E The Compliance Center Inc. HAZARDOUS MATERIALS REGULATIONS SPECIALISTS

DISCLAIMER OF LIABILITY

Every effort has been made to ensure that the safety information on this sheet is accurate, but because Rosco Laboratories, Inc. has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no express or implied warranties, including implied warranties of merchantability or fitness for a particular purpose. Rosco Laboratories, Inc. assumes no liability for injury or incidental or consequential damages arising out of storage, handling or use of this product.

Preparation Date:

January 8, 2010

END OF DOCUMENT